

Polyurethane Topcoat Color Chart



TRANSTAR® COMMERCIAL COATINGS

Transtar Autobody Technologies, Inc.

2040 Heiserman Drive

Brighton, MI 48114

Phone: (800) 824-2843 or (810) 220-3000

Fax: (800) 477-7923 or (810) 220-3053

Website: www.tat-co.com or email: info@tat-co.com

Solid, Fleet & Equipment Colors



8621 Gloss Black



8811 Midnight Blue



8809 Dark Green



8845 Cummings Engine Tan



8624 Candy Apple Red



8802 Omaha Orange



8831 Chrome Yellow



8827 Michelin Yellow




8840 Ford Z-1 White



8843 Post Office White



8846 UPS Brown



8849 Mack Truck Blue



8834 John Deere Green



8804 Matador Red



8808 Victory Red



8851 Ambulance Orange




8848 Taxi Yellow



8838 Caterpillar Yellow



8623 Frost White (Code 12 White)



8816 Dark Navy Blue



8850 Ford Tractor Blue



8812 Charcoal Gray



8830 Fire Truck Red




8806 Viper Red



8847 School Bus Yellow



8801 Bright Yellow (Sun Yellow)



8835 Cream Beige (Wheat)



8844 817 White (Chevy White)



8815 Snow White

The color swatches above may vary slightly from the actual color. For a perfect color match, please submit a color panel.

Solid, Fleet & Equipment Colors (cont.)



8842 Ford Performance (WB) White



8836 Mack Truck White



8841 GM 50 White



8828 508 White



8839 Fleet White

The color swatches above & below may vary slightly from the actual color. For a perfect color match, please submit a color panel.

Safety Colors




8852 Safety Yellow



8853 Safety Red

Pearls



8823 Black Pearl



8824 Candy Apple Red Pearl



8826 Viper GTS Blue Pearl


Metallics




8622 Silver Mist Metallic




8625 Deep Jewel Green Metallic



8807 Royal Blue Metallic



8818 Dark Blue Metallic




8810 Medium Blue Metallic



8626 Light Blue Metallic



8803 Royal Maroon



8820 Ruby Red Metallic



8817 Candy Apple Red Metallic



8813 Silver Frost Metallic



8822 Black Metallic

**If you do not see your color here, please contact us and we will custom match it for you.
(800) 824-2843 or email:
info@tat-co.com**

Description

This paint system features a high gloss top coat with superior chemical resistance and outstanding durability. This highly productive system meets or exceeds the demanding requirements of today's market. The high cross link density of this unique system allows it to withstand aggressive environments and provide excellent durability against severe weather conditions, prolonged exterior exposure, abrasion, impact and chemical attack.

Ideal for use in the following applications

- Truck refinishing
- High performance industrial
- OEM Truck Bodies
- Heavy construction equipment
- OEM manufacturing
- Emergency vehicles
- Agricultural equipment
- Sign manufacturing
- General aviation
- Fleet refinishing
- Transportation
- Pleasure marine
- Auto refinishing

Plus,.....many other applications requiring a high performance coating!

Technical Data

Gloss:	90+ @ 60° 85+ @ 20°
Volume Solids:	36 – 38% (as applied)
Sprayable V.O.C.:	3.50#/gallon (420 g/l)
Coverage (1 mil dft):	525 – 600 sq. ft. per gallon (theoretical)
Recommended Film Build:	1.0 – 1.5 mils (dry)
Mix Ratio:	3:1 (3 parts color to one part activator)
Pot Life:	2 hours @ 68° F
Warranty:	One year (refer to TCPW-5/03 Limited Warranty)

Dry Times @ 70° F (21° C), 50% R.H.

with 8704 Accelerator

Dust Free:	20 minutes
Tack Free:	1½ hours
Tape Time:	3 hours
Delivery:	8 hours

Without Accelerator

Dust Free:	20 minutes
Tack Free:	3 hours
Tape Time:	12 hours
Delivery:	12 hours



Features

- Fast, productive dry times
- Lead-free & chromate-free formulas
- Superior weathering
- Outstanding gloss & color retention
- Excellent chemical resistance
- High crosslink density
- Excellent flexibility
- VOC of 3.5#/gal or 2.8#/gal (applied)
- Great application versatility
- Anti-Sag for one coat coverage

Benefits

- Labor & time savings
- More user & environment friendly
- Improved durability
- Increases value of item being painted
- Withstands aggressive environments
- Increased hardness & scratch resistance
- Chip resistant
- Reduces emissions and ensures compliance
- Can be applied by conventional spray guns, electrostatic, HVLP, airless, etc.

Available Packaging

¾ Gallon	5 Gallon Pails	
Full Gallons	55 Gallon Drums	Totes

There are thousands of formulas available to choose from. Send us a color panel, and we can match color and gloss to meet your production requirements.

Other information

Refer to Transtar Product Catalog Z403 for information on other Transtar products, including:

- Primers (1K, 2K, Urethane, Acrylic, Epoxy, Iso-Free, etc.)
- 2K Urethane Clearcoats
- Sealers
- Adhesives
- Sealants
- Tools & equipment
- Compounds & polishes
- Specialty coatings
- Reducers
- Prep Cleaners
- Specialty Tapes
- Plastic repair materials